

# REMI SOLAR ENERGY OPERATED FANS (PMDC/BLDC Motor)



For Reliability  
Since 1960

- REMI Solar DC Fans has Best PMDC Motor with carbon brush in the country. Our new range of solar fans are developed with 25 years of experience in designing and production of solar fans
- REMI Solar fans has angle adjustment mechanism Oscillation facility with 3 speed controller
- REMI Solar fans are silent in operations
- REMI Solar fans are technically Superior and better in performance than any other similar fans made in India



- REMI is having widest range of Solar fans with different voltage & Wattage
- Oscillation / Non-Oscillation option provided in the fan for personal and general use
- REMI Solar Fans PMDC motor is having longest carbon brush and Commutator life in the Industry
- Unbreakable, Aero dynamic & Balanced blades

- Strongest, Attractive Protective Guards
- Metal parts are coated with powder to prevent rusting
- Maximum output with minimum wattage consumption
- 3 speed option provides optimum use of battery



## REMI 300 MM SPECIAL TABLE FAN OSCILLATION



- Model: STF-300-14W-SP with 3 wing plastic blade
- Input Voltage: 12 Volt
- Power: 14 Watt
- Motor: PMDC Motor with Carbon Brush
- Speed More Than: 1300 RPM with 3 Speed and Oscillation

## REMI 300MM SPECIAL WALL FAN OSCILLATION

- Model: SWF-300-14W-SP with 3 wing plastic blade
- Input Voltage: 12 Volt
- Power: 14 Watt
- Motor: PMDC motor with Carbon Brush
- Speed More Than: 1300 RPM with 3 Speed and with oscillation



## REMI 300MM SPECIAL PEDESTAL FAN OSCILLATION



- Model: SPF-300-14W-SP with 3 wing plastic blade
- Input Voltage: 12 Volt
- Power: 14 Watt
- Motor: PMDC motor with Carbon Brush
- Speed More Than: 1300 RPM with 3 Speed and oscillation

All Models also available in 6 / 24 / 48 Volt

## REMI 400 MM SPECIAL TABLE FAN OSCILLATION



- Model: STF-400-22W-SP with 3 wing plastic blade
- Input Voltage: 12 Volt
- Power: 22 Watt
- Motor: PMDC Motor with Carbon Brush
- Speed More Than: 1250 RPM with 3 Speed and oscillation

## REMI 400MM SPECIAL WALL FAN OSCILLATION

- Model: SWF-400-22W-SP with 3 wing plastic blade
- Input Voltage: 12 Volt
- Power: 22 Watt
- Motor: PMDC motor with Carbon Brush
- Speed More Than: 1250 RPM with 3 Speed and oscillation



## REMI 400MM SPECIAL PEDESTAL FAN OSCILLATION



- Model: SPF-400-22W-SP with 3 wing plastic blade
- Input Voltage: 12 Volt
- Power: 22 Watt
- Motor: PMDC motor with Carbon Brush
- Speed More Than: 1250 RPM with 3 Speed and oscillation

All Models also available in 6 / 24 / 48 Volt

## REMI 300 MM CLASSIC TABLE FAN OSCILLATION



- Model: CS-300-14W with 3 wing Plastic blade
- Model: CS-300-18W with 3 wing Metal blade
- Input Voltage: 12 Volt
- Motor: PMDC Motor with Carbon Brush
- Speed More Than: 1300 RPM with 3 Speed and Oscillation
- Power: 14 Watt / 18 Watt

## REMI 300MM CLASSIC WALL FAN OSCILLATION

- Model: CS-300-14W with 3 wing Plastic blade
- Model: CS-300-18W with 3 wing Metal blade
- Input Voltage: 12 Volt
- Motor: PMDC Motor with Carbon Brush
- Speed More Than: 1300 RPM with 3 Speed and Oscillation
- Power: 14 Watt / 18 Watt



## REMI 300MM CLASSIC PEDESTAL FAN OSCILLATION



- Model: CS-300-14W with 3 wing Plastic blade
- Model: CS-300-18W with 3 wing Metal blade
- Input Voltage: 12 Volt
- Motor: PMDC Motor with Carbon Brush
- Speed More Than: 1300 RPM with 3 Speed and Oscillation
- Power: 14 Watt / 18 Watt

All Models also available in 6 / 24 / 48 Volt

## REMI 400 MM CLASSIC TABLE FAN OSCILLATION



- Model: CS-400-22W with 3 wing Metal blade
- Input Voltage: 12 Volt
- Motor: PMDC Motor with Carbon Brush
- Speed More Than: 1300 RPM with 3 Speed and Oscillation
- Power: 22 Watt

## REMI 400MM CLASSIC WALL FAN OSCILLATION

- Model: CS-400-22W with 3 wing Metal blade
- Input Voltage: 12 Volt
- Motor: PMDC Motor with Carbon Brush
- Speed More Than: 1300 RPM with 3 Speed and Oscillation
- Power: 22 Watt



## REMI 400MM CLASSIC PEDESTAL FAN OSCILLATION



- Model: CS-400-22W with 3 wing Metal blade
- Input Voltage: 12 Volt
- Motor: PMDC Motor with Carbon Brush
- Speed More Than: 1300 RPM with 3 Speed and Oscillation
- Power: 22 Watt

All Models also available in 6 / 24 / 48 Volt

## REMI 300 MM BRUSHLESS TABLE FAN



- Model: STF-300-12W-BL with 3 wing Plastic blade
- Input Voltage: 12 Volt
- Motor: Brushless DC(BLDC) without carbon brush
- Speed More Than: 1250 RPM with 3 Speed and Oscillation
- Power: 12 Watt

## REMI 300 MM BRUSHLESS WALL FAN

- Model: SWF-300-12W-BL with 3 wing Plastic blade
- Input Voltage: 12 Volt
- Motor: Brushless DC(BLDC) without carbon brush
- Speed More Than: 1250 RPM with 3 Speed and Oscillation
- Power: 12 Watt



## REMI 300 MM BRUSHLESS PEDESTAL FAN



- Model: SPF-300-12W-BL with 3 wing Plastic blade
- Input Voltage: 12 Volt
- Motor: Brushless DC(BLDC) without carbon brush
- Speed More Than: 1250 RPM with 3 Speed and Oscillation
- Power: 12 Watt

## REMI 400 MM BRUSHLESS TABLE FAN



- Model: STF-400-13W-BL with 3 wing plastic blade
- Input Voltage: 12 Volt
- Motor: Brushless DC (BLDC) without carbon brush
- Speed More Than: 1050 RPM with 3 Speed and Oscillation
- Power: 13 Watt

## REMI 400MM BRUSHLESS TABLE FAN

- Model: SWF-400-13W-BL with 3 wing plastic blade
- Input Voltage: 12 Volt
- Motor: Brushless DC (BLDC) without carbon brush
- Speed More Than: 1050 RPM with 3 Speed and Oscillation
- Power: 13 Watt



## REMI 400MM BRUSHLESS PEDESTAL FAN



- Model: SPF-400-13W-BL with 3 wing plastic blade
- Input Voltage: 12 Volt
- Motor: Brushless DC (BLDC) without carbon brush
- Speed More Than: 1050 RPM with 3 Speed and Oscillation
- Power: 13 Watt

All Models also available in 6 / 24 / 48 Volt

**BLDC MOTOR WITHOUT CARBON BRUSH****FEATURES**

- Maintenance free Brushless DC (BLDC) motor
- Fan protected from reverse polarity connection
- Fan protected from lock Rotor
- Audio interference suppressor
- Lowest operating noise
- Highest Air Delivery
- High Velocity & Air Throw
- Protection from fluctuation of supply voltage/current
- Instant starting
- More reliability than similar Brushless fans made in India
- Angle adjustment is provided
- Unbreakable, Aero dynamic, balanced fan blades made of Co- Polymer Plastic
- Strongest, attractive protective guards on blades
- Oscillation / Non-Oscillation option provided in the fan for personal and general use
- 3 speed option for optimum use of battery
- Metal parts are powder coated to prevent rusting
- 2 Meters wire cord provided

All BLDC Solar Fans are also available in -

- 24 VDC
- 15-Watt
- Non- Oscillating

**REMI GROUP****REMI SALES & ENGINEERING LIMITED. (Fan Division)**

Remi House, 11, Cama Industrial Estate, Walbhat Road, Goregaon (East), Mumbai - 400 063. INDIA.

Tel: +91 22 4058 9888 / 26851998 E-mail: remifans@remigroup.com

---

**BRANCH OFFICES**

Ahmedabad, Bengaluru, Chennai, Goa, Hyderabad, Indore, Jaipur, Kanpur,  
Kochi, Kolkata, Mumbai, New Delhi, Vijayawada.

**Important:**

Design/Specification are subject to change without prior notice because of our continuous improvement.